


WM-BI-28-3421 Electric Fireplace
shown with optional Sable fire glass



WALL MOUNT & BUILT-IN

ELECTRIC FIREPLACES

LED LIGHT • INCANDESCENT LIGHT • HEATER WITH FAN

Amantii

WM-BI SERIES

WM-BI PROGRAMMABLE THERMOSTAT, ADVANCED FLAME PRESENTATION AND BACKLIGHTING LED LIGHTING WITH HEATER & FAN



WM-BI-28-3421 Electric Fireplace shown with log set

WM-BI-28-3421 SPECIFICATIONS

WM-BI SERIES

Fireplace Features


- Can be wall mounted or built-in
- Clean black glass face
- **NEW** Hardwire ready
- Featuring an advanced flame presentation
- **NEW** 13 backlit colors on all 4 sides
- 4-stage lighting
- **NEW** LED ember lights in log set
- Heater and fan
- Three stage heater
- Heat is vented from the top
- Approx. heating area 400 - 500 sq. ft.
- Digital display programmable thermostat
- **NEW** Touch pad
- **NEW** Timer
- Remote control included for flame and heater
- Separate remote control for backlighting
- Three colors of fireglass media & LED ember log set included in the box
- Plug on the right side



| | |
|-----------------------|--------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 9 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 4 watts |
| Height, Width, Depth | 17 x 28 x 5 1/2 |
| Glass Viewing Opening | 24 5/8 x 9 3/16 |
| Surround Size | 34 x 21 |
| Shipping Size | 37 1/4 x 10 1/4 x 25 |
| Shipping Weight | 48 lbs. Glass Included |
| Cord Length | 75" |

WM-BI-28-3421

Built-in electric fireplaces are a perfect alternative for gas or wood burning fireplaces, solving impossible installation challenges and offering immediate gratification with same-day installation. Add a touch of color with backlighting, 13 colors on all four sides. If you have limited space, then the WM-BI-28-3421 is your answer and is designed to be wall mounted or built-in. Included with the WM-BI-28-3421 are three colors of fire glass media and LED ember log set, see page 7. (Image to left shown with Clear fire glass.)





WM-BI-43-5123 Electric Fireplace shown with black glass front and optional Blaze fire glass


WM-BI-43-5123 SPECIFICATIONS



WM-BI-43-5123

Opportunities abound with the WM-BI-43-5123 electric fireplace. Choose between sleek black glass or the new stylish Designer beveled steel faces. Add personal style to your room and change the fireplace media at any time, featuring 13 colors of ambient backlighting. The WM-BI-43-5123 is designed to be wall mounted or built-in. Comes with three colors of fire glass media and LED ember log set, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 11 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 4 watts |
| Height, Width, Depth | 17 x 43 x 5 1/2 |
| Glass Viewing Opening | 39 1/2 x 9 3/16 |
| Surround Size | 51 x 23 |
| Shipping Size | 55 x 10 3/8 x 27 1/2 |
| Shipping Weight | 72 lbs. Glass Included |
| Cord Length | 75" |





WM-BI-58-6421 Electric Fireplace with log set


WM-BI 58-6421 SPECIFICATIONS



WM-BI-58-6421

Revamp any room with the beautiful WM-BI-58-6421 electric fireplace, featuring 13 colors of ambient backlighting. Designed to be wall mounted or built-in. Comes with three colors of fire glass media and two LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 18 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 10 watts |
| Height, Width, Depth | 17 x 58 x 5 1/2 |
| Glass Viewing Opening | 54 7/16 x 9 3/16 |
| Surround Size | 64 x 21 |
| Shipping Size | 68 x 10 3/8 x 25 5/8 |
| Shipping Weight | 87 lbs. Glass Included |
| Cord Length | 75" |



ambiance



WM-BI-76-8221 Electric Fireplace with optional Sunset fire glass, shown with backlighting turned on.


WM-BI 76-8221 SPECIFICATIONS



WM-BI-76-8221

Have a larger space to fill? The WM-BI-76-8221 is a perfect solution, featuring 13 colors of ambient backlighting. Designed to be wall mounted or built-in. Comes with three colors of fire glass media and two LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 20 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 10 watts |
| Height, Width, Depth | 17 x 76 x 5 1/2 |
| Glass Viewing Opening | 72 7/16 x 9 3/16 |
| Surround Size | 82 x 21 |
| Shipping Size | 87 x 11 1/4 x 25 5/8 |
| Shipping Weight | 107 lbs. Glass Included |
| Cord Length | 75" |



professional



WM-BI-106-11524 Electric Fireplace with Sun Tea fire glass.


WM-BI-106-11524 SPECIFICATIONS



WM-BI-106-11524

With an amazing length of 115" the WM-BI-106-11524 electric fireplace is bound to turn heads. Also features 13 colors of ambient backlighting on all four sides. An excellent choice for commercial installations, this stunning unit can be built in or wall mounted. The state of the art lifelike flame comes alive in one of the biggest glass viewing areas in the industry. Comes with three colors of fire glass media and three LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 25 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 10 watts |
| Height, Width, Depth | 17 x 106 x 5 1/2 |
| Glass Viewing Opening | 102 1/2 x 9 3/16 |
| Surround Size | 115 x 24 |
| Shipping Size | 120 x 11 1/4 x 28 1/2 |
| Shipping Weight | 158 lbs. Glass Included |
| Cord Length | 75" |



ACCESSORIES & FIRE GLASS OPTIONS



WM-BI-58-6421 Electric Fireplace with log set

FIRE GLASS COLORS

The three fire glass colors below are included with the WM/BI Series, ZECL Series, BLT-IN Series, WM-50 and WM-3522CF



Hz-01 Clear



Hz-04 Harvest Moon



Hz-09 Sun Tea

LED EMBER LOG SET

The logs come with both the WM/BI Series, ZECL Series, INSERT Series and the WM-50.




NEW! 6-PIECE LOG SET

The 6-piece log set comes with the BI-50-DEEP, BI-72-DEEP and WM-BI-2428-VLR models ONLY.
(available for other models to purchase for an additional charge).



OPTIONAL FIRE GLASS

The six optional fire glass colors below are available to purchase at an additional charge.



Hz-05 Goldenrod




Hz-06 Blaze



Hz-07 Sunset



Hz-08 Sable



Fire & Ice*
Clear and blue diamonds

* Fire & Ice media is included with the Fire & Ice Series ONLY.
(available for other models to purchase for an additional charge).

Variations in color and shade are inherent in all printing processes, the actual colors may vary slightly from those shown in this brochure.
Please visit your local dealer to view a sample.

WM-BI SERIES

WM-BI TEMPERATURE MAINTENANCE CONTROL AND BACKLIGHTING LED LIGHTING WITH HEATER & FAN



WM-BI-26-3623 Electric Fireplace with Mystic Green backlighting and log set

WM-BI-26-3623 SPECIFICATIONS

WM-BI SERIES

Fireplace Features


- Can be wall mounted or built in
- Clean black glass surround
- **NEW** Hardwire ready
- 13 colors of surround backlighting on 3 sides
- 4 stage lighting
- Latest LED light technology
- **NEW** LED ember lights in log set
- Heater and fan
- Heat is vented out the bottom
- No grills
- Approx. heating area 400 - 500 sq. ft.
- Temperature maintenance control
- Maintains a constant temp of 25° C / 87° F
- Remote control included for flame and heater & surround back lighting
- Three colors of fire glass media and LED ember log set in the box
- Plug on left side



WM-BI-26-3623

The clean and modern WM-BI-26-3623 will add an impressive glow to any space. Not only does this model feature temperature maintenance controls, but it features backlighting with 13 colors to choose from, on three sides. Backlighting can be turned on or off. Simple to wall mount or build-in to the wall for a custom finished look. Comes with three colors of fire glass media and three LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|--------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater On | 1500 watts high, 750 watts low |
| Heater Off | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 26 x 6 |
| Glass Viewing Opening | 23 1/2 x 10 |
| Surround Size | 35 1/2 x 23 |
| Shipping Size | 38 3/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 55.7 lbs. Glass Included |
| Cord Length | 76" |






WM-BI-34-4423 Electric Fireplace with Cobblestone Blue backlighting and Harvest Moon fire glass

Burst of color


WM-BI-34-4423 SPECIFICATIONS



WM-BI-34-4423

Warm up any space with the sleek and sophisticated WM-BI-34-4423, featuring temperature maintenance controls and the ability to add backlighting in 13 different colors. This stylish unit will add a touch of elegance to a space by day and a splash of color by night. Unit can be wall mounted or built-in to the wall for a more custom look and finish. Comes with three colors of fire glass media and three LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)


| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater On | 1500 watts high, 750 watts low |
| Heater Off | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 34 x 6 |
| Glass Viewing Opening | 31 1/2 x 10 |
| Surround Size | 43 1/2 x 23 |
| Shipping Size | 46 3/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 65.8 lbs. Glass Included |
| Cord Length | 76" |





WM-BI-48-5823 Electric Fireplace with Imperial Purple backlighting and log set


WM-BI-48-5823 SPECIFICATIONS



WM-BI-48-5823

Impressive and functional. The WM-BI-48-5823 will heat up a room in more ways than one – featuring 13 colors of ambient backlighting, this unit adds wow factor to any space. The WM-BI-48-5823 features temperature maintenance controls and the ability to be wall mounted or built-in to a wall for a custom finished look. Comes with three colors of fire glass media and three LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater On | 1500 watts high, 750 watts low |
| Heater Off | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 48 x 6 |
| Glass Viewing Opening | 45 1/2 x 10 |
| Surround Size | 57 1/2 x 23 |
| Shipping Size | 60 3/4 x 10 1/4 x 26 1/4 |
| Shipping Weight | 82.2 lbs. Glass Included |
| Cord Length | 76" |





WM-BI-48-5823 Electric Fireplace with Sapphire Blue backlighting

WM-BI SERIES BACKLIGHTING COLORS


Available for WM-BI Series 26", 34", 48" and 72" models only. Comes with 13 colors to choose from, on three sides.



Shown with Smoky Amber Backlighting



Shown with Cobblestone Blue Backlighting



Shown with Mystic Green Backlighting



Shown with Imperial Purple Backlighting



WM-BI-72-8123 Electric Fireplace with Smoky Amber backlighting and optional Goldenrod fire glass


WM-BI-72-8123 SPECIFICATIONS



WM-BI-72-8123

The WM-BI-72-8123 adds ambiance to any space with the ability to add backlighting in 13 different colors. Unit is easy to wall mount or for a more custom look build right into the wall. Comes with three colors of fire glass media and three LED ember log sets, see page 7. (Image to left shown with Clear fire glass.)

| | |
|-----------------------|--------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater On | 1500 watts high, 750 watts low |
| Heater Off | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 71 1/2 x 6 |
| Glass Viewing Opening | 69 x 10 |
| Surround Size | 81 x 23 |
| Shipping Size | 84 1/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 115.3 lbs. Glass Included |
| Cord Length | 76" |





WM-BI-2428-VLR Electric Fireplace with log set

WM-BI-2428-VLR SPECIFICATIONS

WM-BI-2428-VLR Fireplace Features


- Perfect for New Construction
- 3 Installation Options: built-in, wall mounted flat, mounted across a corner
- Clean black glass surround
- Hard wire ready
- Flame operates with or without heat
- 4 stage lighting
- Latest LED light technology
- **NEW** LED ember lights in log set
- Heater and fan
- Heat is vented out the top
- No grills
- Approx. heating area 400 - 500 sq. ft.
- Remote control for flame and heater
- Three media choices: Sable fire glass, real coal and 6-piece log set
- Plug on the left side



Amantii Innovation

Our smart WM-BI-2428-VLR is one versatile unit! The design possibilities are endless - saves on space by being able to install it in a corner, also ideal for locations where running costly gas lines and venting are not possible. Beautiful and flexible with four different decorative medias to choose from. Comes with real coal, Sable and a 6 piece log set. (Image to the left shown with LED ember log set.)

| | |
|-----------------------|--------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 24 3/4 x 17 7/8 x 8 3/4 |
| Glass Viewing Opening | 16 1/8 x 14 5/8 |
| Surround Size | 24 x 28 |
| Shipping Size | 31 x 12 x 27 3/8 |
| Shipping Weight | 57.2 lbs. Glass Included |
| Cord Length | 76" |



WM-BI-2428-VLR ACCESSORIES



WM-BI-2428-VLR Electric Fireplace with Sable fire glass media


SURROUND

The WM-BI-2428-VLR is designed to fit.




Simply remove the glass from the WM-BI-2428-VLR unit & install.


INSTALLATION OPTIONS



Corner Mount



Wall Mount



Built-In

NEW! FIRE GLASS MEDIA

Large coal nuggets and Sable fire glass media are included with the WM-BI-2428-VLR ONLY. (The Sable is available to purchase for other models at an additional charge.)



NEW! 6-PIECE LOG SET

The 6-piece log set comes standard with the WM-BI-2428-VLR. (Also available to purchase for other models at an additional charge.)



Variations in color and shade are inherent in all printing processes, the actual colors may vary slightly from those shown in this brochure. Please visit your local dealer to view a sample.

WM-BI FLUSHMOUNT

LED LIGHTING WITH HEATER & FAN



WM-BI-50-FLUSHMNT-BLKGLS
Electric Fireplace with log set

WM-BI-50-FLUSHMNT SPECIFICATIONS

WM-BI FLUSHMOUNT SERIES Fireplace Features


- Perfect for New Construction
- Can be wall mounted or built-in.
- Clean black glass surround
- **NEW** Hard wire ready
- 4 stage lighting
- Latest LED light technology
- **NEW** LED ember lights in log set
- Heat is vented from the face of the surround
- Approx. heating area 400 - 500 sq. ft.
- Heat can operate without flame
- Remote control for flame and heater
- Three colors of fire glass media and LED ember log set in the box
- Plug on the left side



WM-BI-50-FLUSHMNT

The WM-BI-50-FLUSHMNT features a sleek black glass surround and allows heat to be vented out the front of the unit, near the bottom. Comes standard with three colors of fire glass media and three LED ember log sets, see page 7. (Image to left shown with log set.)

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater On | 1500 watts high, 750 watts low |
| Heater Off | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 3/8 x 48 x 6 1/8 |
| Glass Viewing Opening | 45 1/2 x 10 |
| Surround Size | 51 x 23 |
| Shipping Size | 26 1/4 x 61 x 10 1/4 |
| Shipping Weight | 84 lbs. Glass Included |
| Cord Length | 76" |



WM SERIES

INCANDESCENT LIGHT
WITH HEATER AND FAN



ingenuity

WM-1641 Vertical Convex Electric Fireplace

WM-1641 SPECIFICATIONS

WM SERIES Vertical Convex Fireplace Features


- Easy to install 2 step-process
- Incandescent Light
- Flame operates with or without heat
- Heater with Fan
- On demand heat - great for zone heating
- 120 Volt - 1500 Watt / 5000 btu heater
- Approximate heating area - 500 sq. ft.
- Low operating cost with 100 % high efficiency
- Remote control for flame and heater included
- Plug on right side



Vertical Convex Wall Mounted Electric Fireplace

The WM-1641 vertical convex electric fireplace can transform any space with its clean, contemporary design and realistic torch-like flame.

| | |
|--------------------------|--|
| Volts | 120 |
| Amps | 12 |
| Watts | 1435 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 85 watts |
| Lamps | 2 each 40 watt Candelabra Incandescent, 80 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 39 3/8 x 10 3/8 x 6 1/4 |
| Glass Viewing Opening | 21 1/4 x 7 7/8 |
| Surround Size | 41 3/8 x 15 3/4 |
| Shipping Size | 19 x 9 x 43 |
| Shipping Weight | 49 lbs. Glass Included |
| Cord Length | 76" |





WM-2134 Vertical Convex Electric Fireplace






WM-2134 SPECIFICATIONS



Vertical Convex Wall Mounted Electric Fireplace

Are you limited on space? This unique, vertical convex electric fireplace can be mounted flat against the wall or in a corner to make the most of a small area.

| | |
|-----------------------|--|
| Volts | 120 |
| Amps | 14 |
| Watts | 1435 max |
| Heater On | 1350 watts high, 675 watts low |
| Heater Off | 85 watts |
| Lamps | 2 each 40 watt Candelabra Incandescent, 80 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 26 7/9 x 14 5/9 x 4 4/5 |
| Glass Viewing Opening | 13 x 16 8/9 |
| Surround Size | 21 2/3 x 34 2/3 |
| Shipping Size | 24 x 9 x 36 |
| Shipping Weight | 46 lbs. Glass Included |
| Cord Length | 70" |





WM-50 Electric Fireplace with Clear fire glass


WM-50 SPECIFICATIONS



WM-50 Wall-Mounted Electric Fireplace

Add a little flare to your fireplace face with the WM-50. You'll also get the look of a beautiful wood fire, realistic log set and ember bed with this easy-to-install electric fireplace. Heats approximately 430 sq. ft. Comes with three colors of fire glass media and a log set.

| | |
|-----------------------|--|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater On | 1500 watts high, 800 watts low |
| Heater Off | 160 watts |
| Lamps | 4 each 40 watts Candelabra Incandescent, 160 watts total |
| Rotor Motor | 1 at 4 watts |
| Height, Width, Depth | 18 1/10" x 38 3/5" x 5 3/10" |
| Glass Viewing Opening | 37" x 8 7/10" |
| Surround Size | 50 2/5" x 21 7/10" |
| Shipping Size | 54 x 26 x 9 |
| Shipping Weight | 76 lbs. Glass Included |
| Cord Length | 75" |



PRICE LIST

| Part Number | Description | MSRP |
|-------------|-------------|------|
|-------------|-------------|------|

WM-BI SERIES

WM-BI PROGRAMMABLE THERMOSTAT WITH ADVANCED FLAME PRESENTATION
WALL MOUNT OR BUILT-IN W/LED LIGHT, HEATER WITH FAN

| | |
|------------------------|---|
| WM-BI-28-3421-BLKGLS | 28" Electric Unit with 34" x 21" Black Glass Surround |
| WM-BI-43-5123-BLKGLS | 43" Electric Unit with 51" x 23" Black Glass Surround |
| WM-BI-58-6421-BLKGLS | 58" Electric Unit with 64" x 21" Black Glass Surround |
| WM-BI-76-8221-BLKGLS | 76" Electric Unit with 82" x 21" Black Glass Surround |
| WM-BI-106-11524-BLKGLS | 106" Electric Unit with 115" x 24" Black Glass Surround |

WM-BI SERIES

WM-BI TEMPERATURE MAINTENANCE CONTROL & BACK-LIGHTING
WALL MOUNT OR BUILT-IN W/LED LIGHT, HEATER WITH FAN

| | |
|----------------|---|
| WM-BI-26-3623 | 26" Electric Unit with 36" x 23" Black Glass Surround |
| WM-BI-34-4423 | 34" Electric Unit with 44" x 23" Black Glass Surround |
| WM-BI-48-5823 | 48" Electric Unit with 58" x 23" Black Glass Surround |
| WM-BI-72-8123 | 72" Electric Unit with 81" x 23" Black Glass Surround |
| WM-BI-2428-VLR | 'Portrait' 24" x 28" Surround |

WM-BI FLUSHMOUNT SERIES

LED LIGHT, HEATER WITH FAN

| | |
|-------------------------|--|
| WM-BI-50-FLUSHMT-BLKGLS | 50" Electric Unit w/ Black Glass Surround No Mood light |
|-------------------------|--|

WALL MOUNT SERIES

WM WALL MOUNT UNITS W/INCANDESCENT LIGHT, HEATER WITH FAN

| | |
|-----------|---|
| WM-1641 | 16" x 41" Vertical Convex Electric Fireplace |
| WM-2134 | 21" x 34" Convex Electric Fireplace Can be installed across a corner |
| WM-50-BLK | 50" Electric Fireplace w/Black Glass |

Amantii

Phone: 888.406.8764
Fax: 877.498.4206
Web site: www.amantii.com



Distributed By:



Intertek