



OUTDOOR FIREPLACES



outdoor
lifestyles
by hearth & home technologies®



outdoor lifestyles

by hearth & home technologies®

Living rooms aren't what they used to be. Outdoor Lifestyles by Hearth & Home Technologies® discards the stale notion that a "living space" is only contained within the walls of your home.

Our innovative products make it easy to expand your living into the outdoors. Think of it like this: you're adding a new room to your house, an outdoor living room.

It's time to transform your outdoor space. See what Outdoor Lifestyles by Hearth & Home Technologies can do for you.

TWILIGHT MODERN

INDOOR/OUTDOOR GAS FIREPLACE

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This Direct Vent gas unit offers impressive fireside views whether relaxing inside or socializing outside. Bolster your favorite room and upgrade your outdoor living space—let the Twilight deliver Modern style, inside and out.

- 36" viewing area
- 38,000 BTU/Hour Input (NG)
- Artistic flames rise through modern media
- Unique indoor and outdoor viewing
- IntelliFire™ Auto-Ignition System
- Weather and thermal performance tested
- Unique installation options; no chimney or venting required

Optional Features

- Several fronts and finishes
- Remote control or wall switch
- Fan kit

Interior Front Options



Interior Firescreen Front


Contemporary Front

Exterior Front Option




Exterior Firescreen Front

Front Finishes




Black




Fog Gray
(Contemporary front only)

Glass Media Options



Black (Standard)



Clear



Amber



Twilight Modern (Indoor Side) shown with black glass media and contemporary front in fog gray.



Twilight Modern (Outdoor Side) shown with black glass media and standard exterior front.



Twilight Modern firebox interior

GAS FIREPLACES

TWILIGHT II

INDOOR/OUTDOOR GAS FIREPLACE

Add warmth and beauty to two spaces—with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long, and from either side. An advanced design exceeds both window and gas fireplace standards, and rugged construction ensures impressive, consistent performance.

- 36" viewing area
- 38,000 BTU/Hour Input (NG)
- Unique indoor and outdoor viewing
- IntelliFire™ Auto-Ignition System
- Weather and thermal performance tested
- Unique installation options; no chimney or venting required

Optional Features

- Several fronts and finishes
- Remote control or wall switch
- Fan kit

Interior Front Options



Interior Firescreen Front




Contemporary Front



Exterior Firescreen Front

Exterior Front Option

Front Finishes



Black



Fog Gray
(Contemporary front only)



Twilight II (Indoor Side) shown with firescreen front and carriage hill companions in black.



Twilight II (Outdoor Side) shown with standard exterior front.



Above: Carolina shown with standard mesh.
Inset: Required gas access panel

CAROLINA OUTDOOR GAS FIREPLACE

Fully featured and ready for a custom finish, this product is easy to install, burns beautifully, and has a compact footprint for almost any patio, deck, or veranda. Whether building a new home or remodeling your current home, this unit is versatile enough to fit into your plan.

- 36" or 42" viewing area
- Carolina 36": 55,000 BTU/Hour Input (NG)
Carolina 42": 65,000 BTU/Hour Input (NG)
- Cantilevered brick firebox
- IntelliFire™ Plus Auto-Ignition System
- FireBrick® technology
- Weather-resistant log grate
- Stainless steel safety screen

Optional Features

- Bronze stainless steel screen doors
- RC100 or RC200 controls

Control Options

IntelliFire Plus RC200* This wireless control integrates with the IntelliFire™ Plus Ignition System for quick and convenient control of your fire—from a wall placement or anywhere in your room.

Features: Auto Battery Backup, Pilot Activation, On/Off, 5-Step Flame Height, Fan Speed (not available on this unit), Child Lock



IntelliFire Plus RC100* This switch activates the IntelliFire™ Plus Ignition System from a discrete wall mount.

Features: On/Off



*Must be used under weather resistant cover

Bronze Screen Doors



GAS FIREPLACES



Dakota shown with decorative front and custom finishing.

DAKOTA OUTDOOR GAS FIREPLACE


The Dakota combines style, function and utility in a rugged outdoor package. Advanced safety engineering enables this weatherproof unit to be installed in screened porches, gazebos and lanais*. The durable design and enhanced technology makes the Dakota an enticing outdoor fireplace—no matter which season you're enjoying.

- 42" viewing area
- 60,000 BTU/Hour Input (NG)
- IntelliFire™ Auto-Ignition System
- Stainless steel glass doors
- Weather-resistant log grate
- Decorative front vent; no chimney needed
- Choose from traditional or herringbone brick interiors



Dakota shown with decorative front.

Interior Styles



Traditional



Herringbone



Villa Gas shown with traditional brick interior and optional stainless steel operable doors.

VILLA GAS OUTDOOR GAS FIREPLACE

The Villa Gas fireplace is a versatile outdoor fireplace at a value price. This compact unit can easily be installed on decks or patios. A stainless steel surround withstands the elements, and complements an outdoor kitchen or contemporary living space.

Extend your living into the outdoors. Experience the Villa Gas fireplace.

- 36" and 42" viewing areas
- 40,000 – 42,000 BTUs
- Traditional or Herringbone brick interiors
- Stainless steel safety screen
- Basic safety pilot ignition system automatically turns gas supply off if the pilot light blows out

Optional Features

- Stainless steel operable doors



Villa Gas shown with standard stainless steel safety screen and herringbone brick interior.

Interior Styles



Traditional



Herringbone

Stainless Steel Operable Doors



WOOD FIREPLACES



Castlewood shown with glass doors, standard stainless steel mesh, traditional molded brick interior and outdoor fireside grand oak gas log set.

CASTLEWOOD OUTDOOR WOOD FIREPLACE

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost. Extend your season in style—with the Castlewood.

- 42" viewing area
- 86,000 BTU/Hour Input (with optional natural gas logs)
- Expansive firebox opening; 38" high
- Weather-resistant log grate
- Stainless steel safety screen
- Cooling air hoods (2)
- Choose from traditional or herringbone brick interiors

Optional Features

- Bi-fold glass doors—Bronze
- Outdoor Fireside Grand Oak log set
- Mortar



Castlewood shown above with standard stainless steel mesh, traditional molded brick interior and outdoor fireside grand oak gas log set.

Interior Styles



Traditional



Herringbone

Bronze Bi-Fold Glass Doors





Montana shown with standard mesh firescreen and herringbone brick interior.

MONTANA

OUTDOOR WOOD FIREPLACE

The Montana is the original outdoor fireplace that started it all. It's fashionably built to withstand adverse weather conditions and deliver solid performance—season after season, year after year. Enhance your outdoor area with this clean, functional focal point.

- 36" or 42" viewing area
- Montana 36": 62,000 BTU/Hour Input (with optional natural gas logs)
Montana 42": 69,000 BTU/Hour Input (with optional natural gas logs)
- Patented drain channels minimize weather effects
- Weather-resistant log grate
- Stainless steel safety screen
- Choose from traditional or herringbone brick interiors

Optional Features

- Bi-fold glass doors—Stainless steel
- Outdoor Fireside Realwood gas log set
- Outdoor hearth kit



Montana shown with standard mesh firescreen, traditional brick interior and optional bi-fold glass doors.

Interior Styles



Traditional



Herringbone

WOOD FIREPLACES



Villawood shown with standard stainless steel mesh, traditional brick interior and outdoor fireside realwood gas logs with outdoor hearth kit.

VILLAWOOD OUTDOOR WOOD FIREPLACE

The Villawood is a versatile wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen, or enhance your living area with style and warmth. An attractive stainless steel surround helps accent your outdoor kitchen or contemporary décor.

- 36" or 42" viewing area
- Villawood 36": 62,000 BTU/Hour Input (with optional natural gas logs)
Villawood 42": 69,000 BTU/Hour Input (with optional natural gas logs)
- Weather-resistant log grate
- Stainless steel safety screen
- Choose from traditional or herringbone brick interiors

Optional Features

- Bi-fold glass doors—Stainless steel
- Outdoor Fireside Realwood gas log set
- Outdoor hearth kit




Villawood shown with standard stainless steel mesh, traditional brick interior and outdoor fireside realwood gas logs with outdoor hearth kit.

Interior Styles



Traditional




Herringbone

Bi-Fold Glass Doors



SPECIFICATIONS

Model	Front Width		Back Width		Height		Depth		Glass Size	BTU/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Twilight-II	43" [1091]	44" [1118]	43" [1091]	44" [1118]	46-7/8" [1191]	47-5/8" [1210]	24" [609]	23" [584]	35-5/8" x 21-1/2" [905 x 546]	38,000 (NG), 36,000 (LP)
Twilight Modern	43" [1091]	44" [1118]	43" [1091]	44" [1118]	46-7/8" [1191]	47-5/8" [1210]	24" [609]	23" [584]	35-5/8" x 21-1/2" [905 x 546]	38,000 (NG), 36,000 (LP)




Model	Front Width		Back Width		Height		Depth		Viewing Area	BTU/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Carolina-36"	44" [1118]	48" [1219]	44" [1118]	48" [1219]	42-1/2" [1080]	42-1/2" [1080]	17" [432]	17" [432]	33-3/8" x 28-7/8" [848 x 733]	55,000 (NG), 50,000 (LP)
Carolina-42"	50" [1270]	54" [1372]	50" [1270]	54" [1372]	50-1/2" [1283]	50-1/2" [1283]	17" [432]	17" [432]	39-1/8" x 33-3/4" [994 x 857]	65,000 (NG), 62,000 (LP)


Drawings to the right represent the 36" and 42" combined.
Non-combustible material is included in dimensions of product.

SIZE	A	B	C	D	E
Carolina-36"	44 [1118]	28-7/8 [733]	33-3/8 [848]	36-1/2 [927]	42-1/2 [1080]
Carolina-42"	50 [1270]	34-3/4 [883]	39-1/8 [994]	44-1/2 [1130]	50-1/2 [1283]

► The Carolina is approved as a standalone unit or can be built into an outside wall. It may be installed in screened porches and lanais that meet these minimum requirements: Minimum porch area - 96 sq ft, Minimum ceiling ht. - 82 in., A minimum of two walls can be screened but must be open to outside ventilation. Minimum requirements are: Minimum screen area - 64 sq ft, Minimum screen top height - 80 in., If installed within a wall, you must: Provide access to the gas controls, Slope outdoor floor (and hearth) away from fireplace. Flash the perimeter of the fireplace, corners and the fireplace face in a manner consistent with regional practices as required to prevent water penetration around the fireplace or manage water that may penetrate the fireplace.



Model	Front Width		Back Width		Height		Depth		Viewing Area	BTU/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Dakota	48" [1219]	49" [1245]	31" [787]	49" [1246]	43-1/2" [1105]	43-7/8" [1114]	23-1/4" [591]	24-1/8" [613]	26-13/16" x 42-1/2" [681 x 1080]	60,000 (NG), 53,000 (LP)




► Dakota 42 is approved for installation in screened porches, gazebos and lanais with the following guidelines: Minimum porch area: 96 square feet, Minimum ceiling height: 92 inches, Minimum of two walls must be screened. Minimum top of screen height, side walls: 6 ft. 8 in., Minimum screen area: 64 square feet

Model	Front Width		Back Width		Height		Depth		Viewing Area	BTU/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Villa Gas 36"	41" [1041]	42" [1067]	23-3/4" [603]	42" [1067]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [544]	21-1/2" [546]	36" x 20-7/8" [914 x 532]	40,000 (NG), 40,000 (LP)
Villa Gas 42"	47" [1194]	48" [1219]	29-3/4" [756]	48" [1219]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [544]	21-1/2" [546]	42" x 20-7/8" [1067 x 532]	42,000 (NG), 42,000 (LP)


Drawings to the right represent the 36" and 42" combined.

SIZE	A	B	C
Villa Gas 36"	23-3/4" [603]	41-1/8" [1045]	36" [914]
Villa Gas 42"	29-3/4" [756]	47-1/8" [1197]	42" [1067]




Model	Front Width		Back Width		Height		Depth		Viewing Area
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing	
Castlewood-42"	52-7/8" [1343]	53-7/8" [1368]	37-1/8" [943]	40-1/8" [1019]	74-1/8" [1883]	74-1/2" [1892]	27-1/2" [699]	28-1/2" [724]	38" x 42" [967 x 1067]


Top View




Left Side View



Front View




Right Side View




Model	Front Width		Back Width		Height		Depth		Viewing Area
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing	
Montana-36"	42" [1067]	43" [1091]	25" [635]	43" [1091]	42-1/4" [1073]	42-3/8" [1076]	23-1/4" [591]	24-1/8" [613]	23-1/2" x 36" [597 x 915]
Montana-42"	48" [1219]	49" [1246]	31" [787]	49" [1246]	42-1/4" [1073]	42-3/8" [1076]	23-1/4" [591]	24-1/8" [613]	23-1/2" x 42" [597 x 1067]


Top View



Front View



Right Side View




Drawings to the right represent the 36" and 42" combined.


SIZE	A	B	C	D
Montana-36"	25" [786]	13-7/8" [352]	9-1/2" [241]	13-1/4" [337]
Montana-42"	31" [786]	14" [356]	9-1/2" [241]	14" [356]

Model	Front Width		Back Width		Height		Depth		Viewing Area
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing	
Villawood-36"	41" [1041]	42" [1067]	23-3/4" [603]	42" [1067]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [544]	21-1/2" [546]	36" x 20-7/8" [914 x 532]
Villawood-42"	47" [1194]	48" [1219]	29-3/4" [756]	48" [1219]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [544]	21-1/2" [546]	42" x 20-7/8" [1067 x 532]


Top View



Front View



Right Side View



Drawings to the right represent the 36" and 42" combined.

SIZE	A	B	C	D
Villawood-36"	23-3/4" [603]	41" [1041]	11-7/8" [302]	36" [914]
Villawood-42"	29-3/4" [756]	47" [1194]	14-7/8" [378]	42" [1067]

INTELLIFIRE AND INTELLIFIRE PLUS IGNITION SYSTEMS

IntelliFire® systems constantly monitor ignition, ensure safe functioning and conserve up to \$10/month in energy costs. The IntelliFire Plus Ignition System (IPI Plus) is an advanced intermittent pilot ignition system with memory settings and a programmable wireless control. To learn more about IntelliFire Technology visit fireplaces.com.

FIREBRICK TECHNOLOGY

FireBrick is a patented, energy-saving ceramic material molded in a variety of masonry designs. FireBrick produces up to 25% more radiant heat than metal fireboxes—heating rooms faster and using less fuel. This increases efficiency and reduces heating costs. To learn more about FireBrick Technology visit fireplaces.com

For complete information and valuable assistance on these products, contact us at:

**outdoor
lifestyles**
by hearth & home technologies®

800-927-6841
fireplaces.com

Limited Warranty**

Hearth & Home Technologies Inc. guarantees protection for all products in this brochure for a period of one year from the date of purchase.

The information provided in this literature is for planning purposes only and subject to change. The flame and ember appearance may vary based on the type of fuel burned and venting configuration used. Actual product appearance, including flame, may differ from product images.

*Please consult the MSRP book for a complete list of optional accessories.

**For full warranty details, see appropriate installation manual.

©2009-2014 Hearth & Home Technologies.



HHT-1032U-0615