

# **Icon Series**

wood-burning fireplaces



## **Command Attention. Command Ambiance.**

The Icon is the industry's largest wood-burning fireplace. An expansive viewing area and attractive firebox catch your eyes from across the room, while impressive fires keep you warm and relaxed. Enjoy classic masonry looks and performance—without the cost of a custom-built fireplace.

Highlight your favorite space and let the Icon roar.


- Three sizes available; 50", 42" and 36"
- Clean-face design enables finishing materials to be applied up to firebox opening
- · Can be installed flush with floor or on a raised hearth
- Impressive, masonry-style traditional or herringbone molded brick panels
- SL1100 Series venting
- Tested and listed to UL safety standards

## **Options**

#### **Doors**



Grand Vista Screen Doors



Contour Screen Doors




DM Glass Doors



#### Refractory



Traditional Multiple-Colored



Herringbone

#### **Gas Logs**



Fireside Grand Oak Log Set

Enjoy the ambiance of roaring wood fires without the hassle. Detailed log sets deliver ambiance and unrivaled convenience.

## **Models Available**


MODEL	HEAT	VIEWING WIDTH	VENTING	OUTSIDE AIR
160	Radiant	36"	SL1100 Series	Standard
180	Radiant	42"	SL1100 Series	Standard
I100	Radiant	50"	SL1100 Series	Standard


### **Technical Specifications**

MODEL	FRONT WIDTH	BACK WIDTH	HEIGHT	DEPTH	FIREBOX OPENING
160	44-1/2" [1130]	28-5/8" [727]	49-5/8" [1260]	27-1/2" [699]	36" x 28-1/2" [914 x 724]
180	50-1/2" [1283]	34-1/2" [876]	49-5/8" [1260]	27-1/2" [699]	42" x 28-1/2" [1067 x 724]
I100	60-5/8" [1540]	41-5/8" [1057]	60-1/4" [1530]	29-1/2" [749]	50" x 33" [1270 x 838]

#### 160/180


	160	180
Α	36" [914]	42" [1067]
В	44-1/2" [1130]	50-1/2" [1283]
С	28-5/8" [727]	34-1/2" [876]
D	14-3/8" [365]	17-3/16" [437]










1100











### Clearances

MODEL	А	В	С	D	Е	F	G	Н
160	45-1/2" [1156]	53-1/2" [1359]	85" [2159]	42-1/2" [1080]	19-3/8" [492]	60-1/8" [1527]	28" [711]	24" [610]
180	51-1/2" [1308]	59-1/2" [1511]	92-3/4" [2356]	46-3/8" [1178]	21-1/2" [546]	65-5/8" [1667]	28-1/2" [724]	24" [610]
I100	61-5/8"	77-5/8"	104-7/8"	52-1/2"	24-3/8"	74-1/4"	30-1/2"	24"



### **Framing**

MODEL	A	B	C
	ROUGH OPENING	ROUGH OPENING	ROUGH OPENING
	(WIDTH)	(DEPTH)	(HEIGHT)*
160	45-1/2"	28"	59-3/4"
	[1156]	[711]	[1518]
180	51-1/2"	28-1/2"	59-3/4"
	[1308]	[724]	[1518]
l100	61-5/8"	30-1/2"	71"
	[1565]	[775]	[1803]



\* Framing must be filled in to top of front stand off after unit is installed.

Note: Fireplace header cannot be positioned until after the fireplace assembly is in place.

C = header height. Use only noncombustible material below the top of

#### **Available From**

## **meatilator**

Phone: 800-927-6841 Web: heatilator.com



facebook.com/Heatilator twitter.com/Heatilator



youtube.com/HeatilatorFireplaces

#### Limited Lifetime Warranty\*

The strongest in the industry, Heatilator provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

\*For full warranty details go to heatilator.com.

The information provided in this literature is for planning purposes only and subject to change. Please consult the installation manual for actual installation. Actual product appearance may differ from product images.

Fireplace, stove and insert surfaces get extremely HOT and can cause severe burns if touched. Keep a safe distance away. To learn more visit: www.heatilator.com/fireplacesafety

