Specifications MEZZO60ST




Please consult the manufacturer's installation manual for all details and requirements before making a final design layout decision.


MEZZO60ST

60" See-Through Direct Vent Gas Fireplace


MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE
MEZZO60ST	Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing	59-1/2 x 12-1/2
	70	72-1/4	70	72-1/4	47-3/4	48	17-1/8	17	




FRONT DIMENSIONS



Clean Face Trim



Loft Forge Front




Quattro Front


- Rectangular holes on bottom of access panel should be covered.
- Approved for 0"-4" finishing material on inside fit method
- If finishing materials are 0-1" thick, the outer trim ring should be adjusted out so that the trim ring overlaps the finishing material. This is intended to provide the cleanest look.
- If finishing materials are 1-4" thick, install the trim ring all the way in. Finishing materials may not extend past the outside edge of the trim ring.

- Rectangular holes on bottom of access panel must be exposed.
- ONLY approved for 0"-1" finishing material on overlap fit method
- Rectangular holes on bottom of access panel must be exposed.
- ONLY approved for 0"-1" finishing material on overlap fit method

FINISHED OPENING DIMENSIONS



Inside Fit Method (Clean Face Trim)




Overlap Fit Method (Loft Forge, Quattro)




Specifications MEZZO60ST


APPLIANCE LOCATION




WALL PENETRATION




MANTEL PROJECTIONS - COMBUSTIBLE




MANTEL PROJECTIONS - NON-COMBUSTIBLE




FRAMING DIMENSION



CLEARANCES TO COMBUSTIBLES



MANTEL LEG/WALL PROJECTIONS



PRODUCT LISTING CODES					
US	ANSI Z21.88-2014				
CAN	CSA 2.33-2014				
C (ÎT) DE LIETEI	UL307B				

Product information provided is not complete and is subject to change without notice. Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury.

Additional information can be found online at www.heatnglo.com



Lakeville, MN Web: heatnglo.com Phone: 888-427-3973 952-985-6000

